



### NT 48/1

Compact 48 litre wet & dry multi-purpose vacuum

#### 1 Container emptying

Easily accessible drain hose for convenient liquid disposal.

#### 2 Accessory storage

Accessories can be attached to the container at the rear of the machine.

### **TECHNICAL DATA AND EQUIPMENT.**





#### NT 48/1

- All-purpose brush
- Cartridge filter with larger filter area
- Drain hose

Technical data		
Order Number		1.428-622.0
EAN code		4039784724952
Air flow	I/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	1	48
Max. rated input power	W	max. 1380
Standard nominal size		35
Sound level	dB(A)	72
Container material		Plastic
Quantity of motors		1
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	10,5
Dimensions (L x W x H)	mm	490 × 390 × 780

Equipment		
Suction hose	m	2,5
Metal suction tube, 2 x 0.5 m		i e
Filter bag		Paper
Wet and dry floor tool	mm	400
Crevice nozzle		I
Cartridge filter		I
Drain hose		1
Bend		I
Safety class		
Caster with brake		

■ Included in delivery.



























		I		1	1	1		1	_
		Order Number	Quantity	ID	Length	Width	Price	Description	
Paper filter (2 ply)					1	I			1
Filter bags 5StNT 65/2 ECO	1	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	
Cartridge filter paper									Ī
Cartridge filter	2	6.414-789.0	1 piece(s)					Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.	
Plastic bend									Ī
Plastic bend	3	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industria single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	
	4	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	
Plastic bend, ID 35	5	6.902-009.0	1 piece(s)	ID 35				Plastic, ID 35.	
All-purpose brushes									ĺ
All-purpose brush	6	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	_
	7	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	ل
All-purpose nozzles (wet/dry)	1 .	1		1	1	1		1	١
Floor tool DN35	8	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	
	9	2.889-118.0	1 piece(s)	ID 35		400 mm	_		
Floor tool DN40-370	10	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN40	11	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN35	12	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Floor tool DN35	13	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	
	14	6.907-408.0	1 piece(s)	ID 40		360 mm			_]
Crevice nozzles									Í,
Crevice nozzle DN35	15	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	
Crevice nozzle	16	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	
Crevice nozzle DN40	17	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	
	18	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
Crevice nozzle DN35	19	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	



























	_			T				
		Order Number	Quantity	ID	Length	Width	Price	Description
Suction tubes metal								
Suction tube DN35	20	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m),
	20	0.500 51 1.0	1 precessy	.5 55	0,5			standard for virtually all single-motor industrial NT vacuum cleaners.
Suction tube	21	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.
Suction hoses complete (Clip-syste	em)			,				
Suction hose C DN35	22		1 piece(s)	ID 35	2,5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.
Suction hose	23	4.440-653.0	1 piece(s)	ID 35	2,5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.
Nozzle sets								
Nozzles set DN35	24	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)
Membrane filter / fabric filter			1					
Membrane/fabric filter	25	6.906-103.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/ Professional.
Special filter bags, wet filter bags								
Filter bag 5St. Kae.	26	6.904-211.0	5 piece(s)					Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.
Bend stainless								
Bend, stainless steel ID 35	27	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35
Bend metal				,	_			,
Bend, DN 35, metal	28	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).
Car cleaning nozzles								
Car nozzle DN35	29	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.
Rubber tool				1				
Rubber nozzle, ID 40	30	4.763-057.0	1 piece(s)	40				Rubber.
Rubber suction tools, nose 45°				1	1	ı		
Rubber suction tools, nose 45°	31		1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.
	32	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.
Radiator brushes								Tion vaccoming machines. Only for its vaccom clediters.
Brush heating element	33	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0. $\hfill\Box$
Combi-nozzles (dry)								
Combination floor tool (dry)	34	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.
Combi-nozzle (dry), DN 35	35	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.































		Order Number	Quantity	ID	Length	Width	Price	Description	
Pipe dusting nozzles					<u> </u>				
BRUSH	36	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	
	37	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	
Suction brushes		ı		1	1		ı		
Suction brush DN35	38	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	
Turbo nozzle				<u> </u>					
Upholstery nozzle TURBO	39	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
Floor tool TURBO DN 35/32	40	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	
Suction tubes stainless steel		1		1	1	1	ı	In a second second	
Suction tube, ID 40	41	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	Ш
Suction tube	42	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	Ш
Suction tube, DN 35	43	6.902-154.0	1 piece(s)	ID 35	0,5 m				
Suction tubes plastic Suction tube, DN 35	44	6.900-384.0	1 piece(s)	ID 35	0,5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	
Extension tube, metal				·					
Extension tube, metal, ID 35	45	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	3 0
Repair kits				,					
Repair set, C 35	46	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	р□
Suction hoses (Clip-system)				_				- System.	
Suction hose	47	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	
	48	6.906-275.0	1 piece(s)	35	2,5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	
Suction hose (clip system), C 35, el.	49	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connec-	
Custion has	F0	6.906-714.0	1 nines(s)	40	1			tion at accessory end.	П
Suction hose Suction hoses complete	DU	0.900-/14.0	1 piece(s)	40	4 m			With bayonet and clip connection.	1⊔
Suction hose, complete	51	4.440-287.0	1 piece(s)	ID 35	4 m			Standard, 4.0m, ID 35	
Suction hose complete, ID 35, 2,5m	52	4.440-339.0	1 piece(s)	ID 35	2,5 m			Temperature-resistant to 120 °C.	ТП
Suction hose, complete	53		1 piece(s)	ID 27	3,5 m			Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	+=
	54	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	
Suction hose complete, ID 40, 4 m, el.	55	4.440-558.0	1 piece(s)	ID 40	4 m			Electrically conductive, DN 40, 4 m, non-interchangeable.	
Suction hose complete, DN 40, 8 m, el.	56	4.440-815.0	1 piece(s)	ID 40	8 m			Electrically conductive, DN 40, 8 m, non-interchangeable.	































		Order Number	Quantity	ID	Length	Width	Price	Description	
6 13 1						wiutii	Price		+
Suction hose, complete	57	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	J
Suction hose complete, ID 40, 4 m, oil-resistant,	58	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.	
Connecting sleeves								,	
Connecting sleeve, ID 27, el.	59	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conducitve.	
Adapter, DN 32/35, with internal thread	60	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. Fo connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	or [
Extension hoses (Clip-system)				,					
Extension hose, C 32, C 35 clip system	61	6.906-237.0	1 piece(s)	ID 32	2,5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	Г
Extension hose, C 40	62		1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	
Connecting sleeve C-DN (clip on tape		1		1		ı			
C-ID 35 adapter		5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	
Adapter for electric power tools, cli Sleeve for tool C35EL		5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	
Adapter for electric power tools, C 35, el.	65	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tool C 35, el.	66	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	
Adapter for electric power tools, C 35, el.	67	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tool C 35, el.	68	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tools C 35, el.	69	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	Е
Adapter for electric power tools, scr	ewab	le			,				
Adapter for electric power tools, screwable, ID 35	70	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.	
Power tool adapter, threaded, DN 35	71	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	, [
Adapter for electric power tools, screwable, ID 35	72	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	
Power tool adapter, threaded, DN 35	73	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	Г
	74	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	
Reducer (tube -> nozzle)									
Reducer	75	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories witl DN 40 connecting cone.	
Reducer from ID 35 to 32	76	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
Set reducing / extension sleeves					<u> </u>			The state of the s	Ì
Set reducing / extension sleeves	77	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	I







		Order Number	Quantity	ID	Length	Width	Price	Description
Other				'				
Drilling dust tool	78	2.679-000.0	1 piece(s)					
CS 40 Me	79	2.863-026.0	1 piece(s)					











		Order Number	Quantity	ID	Length / width	Price	Description	
Other nozzles							l	
45° rubber suction nozzle	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	
Aluminium surface nozzle	2	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	
Crevice tools								
Grout nozzle, synthetic	3	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	
Grout nozzle, stainless steel	4	6.900-926.0	1 piece(s)	ID 61	370 × 90 mm		Grout nozzle, stainless steel, 400 mm	

<sup>■</sup> Included in delivery. 

Available accessories.



		Order Number			Price	Description	
Suction tools							
	1	6.900-929.0				plastic	

<sup>■</sup> Included in delivery. 

Available accessories.