



NT 35/1 Tact

Multi-purpose wet & dry vacuum cleaner with Tact automatic filter clean system for heavy duty dust extraction.

1 Tact system (Auto Filter Clean System)

- The filter cleans itself with powerful blasts of air. This automatic process guarantees constantly high suction power. Further benefits: low maintenance costs, long filter service life.

2 On-board practical storage

- Large on-board storage area for tool and accessory storage.

NT 35/1 Tact

- Tact - Auto Filter Clean System
- Accessory / suction hose storage
- On-board practical storage

Technical data

| | | |
|-------------------------------|-------------------|-----------------|
| Order Number | | 1.184-853.0 |
| EAN code | | 4039784722705 |
| Air flow | l/s | 74 |
| Vacuum | mbar / kPa | 254 / 25 |
| Container capacity | l | 35 |
| Max. rated input power | W | 1380 |
| Standard nominal size | | 35 |
| Sound level | dB(A) | 69 |
| Container material | | Plastic |
| Quantity of motors | | 1 |
| Frequency | Hz | 50-60 |
| Voltage | V | 220-240 |
| Weight | kg | 11,5 |
| Dimensions (L x W x H) | mm | 520 × 380 × 580 |

Equipment

| | | | | | |
|-------------------------------------------------|-----------|-------------------|---------------------------------------|-----------------|---|
| Suction hose | m | 2,5 | Maintenance -free suction fans | piece(s) | 1 |
| Filter bag | | Fleece | | | |
| Wet and dry floor tool | mm | 300 | | | |
| Crevice nozzle | | ■ | | | |
| Auto shutdown when max. level is reached | | ■ | | | |
| Eco filter system | | ■ | | | |
| Flat pleated filter | | Paper | | | |
| Bend | | ■ | | | |
| Safety class | | II | | | |
| Caster with brake | | ■ | | | |
| Filter cleaning | | Tact Filter Clean | | | |

■ Included in delivery.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0

KÄRCHER


| | | Order Number | Quantity | ID | Length | Width | Price | Description | |
|------------------------------------------|----|--------------|------------|-------|--------|--------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| Flat pleated filter (paper) | | | | | | | | | |
| Flat filter only for replacement Kaerche | 1 | 6.904-367.0 | 1 piece(s) | | | | | Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M. | ■ |
| Plastic bend | | | | | | | | | |
| Plastic bend | 2 | 5.031-718.0 | 1 piece(s) | ID 35 | | | | Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H). | ■ |
| | 3 | 5.031-939.0 | 1 piece(s) | ID 35 | | | | Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models. | □ |
| | 4 | 5.032-427.0 | 1 piece(s) | ID 40 | | | | Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners. | □ |
| | 5 | 5.031-904.0 | 1 piece(s) | ID 40 | | | | Plastic bend (DN 40) with C-40 clip system, suitable for all NT models. | □ |
| Elbow antistatic packaged NW35 2K | 6 | 2.889-147.0 | 1 piece(s) | ID 35 | | | | | □ |
| Elbow electrically conducting packaged N | 7 | 2.889-148.0 | 1 piece(s) | ID 35 | | | | | □ |
| Elbow complete packaged NW35 2K | 8 | 2.889-168.0 | 1 piece(s) | ID 35 | | | | | □ |
| Elbow packaged NW35 2K | 9 | 2.889-170.0 | 1 piece(s) | ID 35 | | | | | □ |
| Elbow packaged NW40 1K | 10 | 2.889-171.0 | | | | | | | □ |
| Elbow electrically conducting packaged N | 11 | 2.889-172.0 | | | | | | | □ |
| All-purpose nozzles (wet/dry) | | | | | | | | | |
| Floor tool DN35 | 12 | 6.906-512.0 | 1 piece(s) | ID 35 | | 300 mm | | All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners. | ■ |
| Floor tool DN40-370 | 13 | 6.903-018.0 | 1 piece(s) | ID 40 | | 370 mm | | All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | □ |
| Floor tool neutrally DN40 | 14 | 6.906-383.0 | 1 piece(s) | ID 40 | | 450 mm | | All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners. | □ |
| Floor tool neutrally DN35 | 15 | 6.906-384.0 | 1 piece(s) | ID 35 | | 370 mm | | All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | □ |
| Floor tool DN35 | 16 | 6.906-513.0 | 1 piece(s) | ID 35 | | 360 mm | | All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners. | □ |
| Floor tool packaged NW35 360mm | 17 | 2.889-152.0 | 1 piece(s) | ID 35 | | 360 mm | | | □ |
| Floor tool packaged NW40 360mm | 18 | 2.889-153.0 | 1 piece(s) | ID 40 | | 360 mm | | | □ |
| Crevice nozzles | | | | | | | | | |
| Crevice nozzle DN35 | 19 | 6.900-385.0 | 1 piece(s) | ID 35 | 210 mm | | | Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm. | ■ |
| Crevice nozzle | 20 | 6.900-922.0 | 1 piece(s) | ID 35 | 500 mm | | | Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm. | □ |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0

KÄRCHER


| | | Order Number | Quantity | ID | Length | Width | Price | Description | |
|---------------------------------------------|----|--------------|--------------|-------|--------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Crevice nozzle DN40 | 21 | 6.903-033.0 | 1 piece(s) | ID 40 | 290 mm | | | Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm. | <input type="checkbox"/> |
| | 22 | 6.905-817.0 | 1 piece(s) | ID 40 | 400 mm | | | Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm. | <input type="checkbox"/> |
| Crevice nozzle DN35 | 23 | 6.906-240.0 | 1 piece(s) | ID 35 | 250 mm | | | Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm. | <input type="checkbox"/> |
| Crevice nozzle wet and dry packaged NW35 | 24 | 2.889-159.0 | 1 piece(s) | ID 35 | 225 mm | | | | <input type="checkbox"/> |
| Crevice nozzle wet and dry packaged NW40 | 25 | 2.889-160.0 | 1 piece(s) | ID 40 | 225 mm | | | | <input type="checkbox"/> |
| Suction tubes metal | | | | | | | | | |
| Suction tube DN35 | 26 | 6.900-514.0 | 1 piece(s) | ID 35 | 0,5 m | | | Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners. | <input checked="" type="checkbox"/> |
| Suction tube | 27 | 6.900-275.0 | 1 piece(s) | ID 40 | 0,5 m | | | Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose. | <input type="checkbox"/> |
| Suction hoses complete (Clip-system) | | | | | | | | | |
| Suction hose C DN35 | 28 | 4.440-626.0 | 1 piece(s) | ID 35 | 2,5 m | | | 2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1. | <input checked="" type="checkbox"/> |
| Fleece filter bags (3 ply) | | | | | | | | | |
| | 29 | 6.907-479.0 | 5 piece(s) | | | | | | <input checked="" type="checkbox"/> |
| Fleece filter bags, x 5 | 30 | 6.904-351.0 | 5 piece(s) | | | | | 3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5 | <input type="checkbox"/> |
| Nozzle sets | | | | | | | | | |
| Nozzles set DN35 | 31 | 2.860-116.0 | 1 piece(s) | ID 35 | | | | Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3) | <input type="checkbox"/> |
| Flat pleated filter (PES) | | | | | | | | | |
| Flat pleated filter (PES) | 32 | 6.904-360.0 | 1 piece(s) | | | | | Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS. | <input type="checkbox"/> |
| Coarse filter for wet pickup | | | | | | | | | |
| Coarse dirt filter for wet pick up | 33 | 6.904-287.0 | 1 piece(s) | | | | | Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models. | <input type="checkbox"/> |
| Membrane filter / fabric filter | | | | | | | | | |
| Membrane filter/fabric filter | 34 | 6.904-212.0 | 1 piece(s) | | | | | Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag. | <input type="checkbox"/> |
| HEPA filter for dust class H | | | | | | | | | |
| HEPA surface filter | 35 | 6.904-242.0 | 1 piece(s) | | | | | HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust. | <input type="checkbox"/> |
| Paper filter (2 ply) | | | | | | | | | |
| Paper filter bags, 300 pcs | 36 | 6.904-224.0 | 300 piece(s) | | | | | BIA-C dust class M approved. Large-scale consumer pack. | <input type="checkbox"/> |
| Paper filter bags | 37 | 6.904-259.0 | 5 piece(s) | | | | | 5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H). | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0

KÄRCHER


| | | Order Number | Quantity | ID | Length | Width | Price | Description | |
|---------------------------------------------|----|--------------|-------------|-------|--------|--------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Plastic sacks for dust-free disposal | | | | | | | | | |
| Plastic sacks for dust-free disposal | 38 | 6.596-886.0 | 10 piece(s) | | | | | PE plastic sack. | <input type="checkbox"/> |
| Special filter bags, wet filter bags | | | | | | | | | |
| Special filter bag, wet filter bag | 39 | 6.904-171.0 | 5 piece(s) | | | | | Approved for dust class L, general cleaning, wet and dry, tear-resistant. | <input type="checkbox"/> |
| Bend stainless | | | | | | | | | |
| Bend, stainless steel ID 35 | 40 | 6.903-141.0 | 1 piece(s) | ID 35 | | | | Stainless steel and crooked, ID 35 | <input type="checkbox"/> |
| Bend, stainless steel ID 40 | 41 | 6.902-079.0 | 1 piece(s) | ID 40 | | | | Stainless steel and crooked, ID 40 | <input type="checkbox"/> |
| Bend metal | | | | | | | | | |
| Bend, DN 35, metal | 42 | 6.900-519.0 | 1 piece(s) | ID 35 | | | | Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.). | <input type="checkbox"/> |
| Bend, DN 40, metal | 43 | 6.900-276.0 | 1 piece(s) | ID 40 | | | | Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.). | <input type="checkbox"/> |
| All-purpose brushes | | | | | | | | | |
| All-purpose brush | 44 | 6.903-863.0 | 1 piece(s) | ID 35 | 120 mm | | | Natural bristles (ox hair), bristle element 120 x 45 mm. | <input type="checkbox"/> |
| Rubber tool | | | | | | | | | |
| Rubber nozzle, ID 40 | 45 | 4.763-057.0 | 1 piece(s) | 40 | | | | Rubber. | <input type="checkbox"/> |
| Rubber suction tools, nose 45° | | | | | | | | | |
| Rubber suction tools, nose 45° | 46 | 6.902-104.0 | 1 piece(s) | ID 35 | 220 mm | | | 45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. | <input type="checkbox"/> |
| | 47 | 6.902-105.0 | 1 piece(s) | ID 40 | 220 mm | | | 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. | <input type="checkbox"/> |
| Combi-nozzles (dry) | | | | | | | | | |
| Combination floor tool (dry) | 48 | 6.906-511.0 | 1 piece(s) | ID 35 | | 270 mm | | Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection. | <input type="checkbox"/> |
| Combi-nozzle (dry), DN 35 | 49 | 6.906-639.0 | 1 piece(s) | ID 35 | | 262 mm | | Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners. | <input type="checkbox"/> |
| Pipe dusting nozzles | | | | | | | | | |
| BRUSH | 50 | 6.903-035.0 | 1 piece(s) | ID 35 | | | | Plastic, pipe diameter 100 mm | <input type="checkbox"/> |
| | 51 | 6.903-036.0 | 1 piece(s) | ID 35 | | | | Plastic, pipe diameter 200 mm | <input type="checkbox"/> |
| Suction brushes | | | | | | | | | |
| Suction brush DN35 | 52 | 6.903-862.0 | 1 piece(s) | ID 35 | | 70 mm | | Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners. | <input type="checkbox"/> |
| Turbo nozzle | | | | | | | | | |
| Upholstery nozzle TURBO | 53 | 2.860-113.0 | 1 piece(s) | ID 32 | | 160 mm | | Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve. | <input type="checkbox"/> |
| Floor tool TURBO DN 35/32 | 54 | 2.860-114.0 | 1 piece(s) | ID 32 | | 270 mm | | Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve. | <input type="checkbox"/> |
| Suction tubes stainless steel | | | | | | | | | |
| Suction tube, ID 40 | 55 | 6.902-081.0 | 1 piece(s) | ID 40 | 0,5 m | | | Stainless steel suction tube (DN 40, 0,5 m) only suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Suction tube | 56 | 6.906-531.0 | 1 piece(s) | ID 40 | 1 m | | | Stainless steel suction tube (DN 40, 1,0 m) only suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Set suction tube stainless steel NW35 55 | 57 | 2.889-192.0 | | | | | | | <input type="checkbox"/> |
| Suction tube, DN 35 | 58 | 6.902-154.0 | 1 piece(s) | ID 35 | 0,5 m | | | | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0

KÄRCHER



59



62



64-67, 69-71



68



72



73-76



77



78-80

| | | Order Number | Quantity | ID | Length | Width | Price | Description | |
|-----------------------------------------------------------------------|----|--------------|------------|-------|--------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Suction tubes plastic | | | | | | | | | |
| Suction tube, DN 35 | 59 | 6.900-384.0 | 1 piece(s) | ID 35 | 0,5 m | | | Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners. | <input type="checkbox"/> |
| Suction tube, DN 61 | 60 | 6.900-224.0 | | | | | | Plastic | <input type="checkbox"/> |
| Extension tube, metal | | | | | | | | | |
| Extension tube, metal, ID 35 | 61 | 6.904-276.0 | 1 piece(s) | 35 | 250 mm | | | Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length. | <input type="checkbox"/> |
| Suction hoses | | | | | | | | | |
| Hose packaged NW35 2.5m | 62 | 2.889-133.0 | 1 piece(s) | ID 35 | 2,5 m | | | | <input type="checkbox"/> |
| Hose packaged NW35 2.0m | 63 | 2.889-161.0 | | | | | | | <input type="checkbox"/> |
| Suction hoses (Clip-system) | | | | | | | | | |
| Suction hose | 64 | 6.906-241.0 | 1 piece(s) | 35 | 4 m | | | 4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end. | <input type="checkbox"/> |
| | 65 | 6.906-275.0 | 1 piece(s) | 35 | 2,5 m | | | 2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end. | <input type="checkbox"/> |
| Suction hose (clip system), C 35, el. | 66 | 6.906-500.0 | 1 piece(s) | 35 | 4 m | | | 4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end. | <input type="checkbox"/> |
| Suction hose | 67 | 6.906-321.0 | 1 piece(s) | 40 | 4 m | | | 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter. | <input type="checkbox"/> |
| | 68 | 6.906-714.0 | 1 piece(s) | 40 | 4 m | | | With bayonet and clip connection. | <input type="checkbox"/> |
| | 69 | 6.906-546.0 | 1 piece(s) | 40 | 4 m | | | Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter. | <input type="checkbox"/> |
| Suction hose (clip system), C 40, 10 m, el. | 70 | 6.906-877.0 | 1 piece(s) | 40 | 10 m | | | Suction hose with bayonet coupling, electrically conductive. | <input type="checkbox"/> |
| Suction hose (clip system), C 35 | 71 | 6.906-242.0 | 1 piece(s) | C- 35 | 10 m | | | Electrically conductive, 10 m suction hose with bayonet and C 40 clip connection. Without bend and adapter. | <input type="checkbox"/> |
| Suction hoses (without connectors) | | | | | | | | | |
| Suction hose, DN 32 and 35 (without connectors) | 72 | 6.389-838.0 | | 32 | 10 m | | | Standard (not T 201 with ESB 28). | <input type="checkbox"/> |
| Connecting sleeves | | | | | | | | | |
| Connecting sleeve, ID 27, el. | 73 | 4.453-006.0 | 1 piece(s) | ID 27 | | | | For connecting 2 suction hoses, thread on both sides, electrically conductive. | <input type="checkbox"/> |
| Adapter, DN 32/35, with internal thread | 74 | 6.902-077.0 | 1 piece(s) | ID 32 | | | | Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35. | <input type="checkbox"/> |
| Adapter, DN 40 with internal thread | 75 | 6.900-286.0 | 1 piece(s) | ID 40 | | | | Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors. | <input type="checkbox"/> |
| Connecting sleeve, ID 61, with female thread | 76 | 6.902-078.0 | 1 piece(s) | ID 61 | | | | For connecting 2 suction hoses, thread on both sides | <input type="checkbox"/> |
| Y-adapter kit | | | | | | | | | |
| Y-adapter kit | 77 | 2.637-217.0 | 1 piece(s) | ID 35 | | | | Plastic distributor - suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Connecting sleeve C-DN (clip on taper), EL (electroconductive) | | | | | | | | | |
| C-ID 35 adapter | 78 | 5.407-112.0 | 1 piece(s) | ID 35 | | | | Connects C 35 hose for ID 35, electrically conductive. | <input type="checkbox"/> |
| C 40 adapter | 79 | 5.407-109.0 | 1 piece(s) | ID 40 | | | | Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| C-DN 40 adapter | 80 | 5.407-111.0 | 1 piece(s) | ID 40 | | | | Connects C 40 hose for ID 40, electrically conductive. | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0

KÄRCHER


| | | Order Number | Quantity | ID | Length | Width | Price | Description | |
|-----------------------------------------------------|-----|--------------|------------|-------|--------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Adapter for electric power tools, clip on, el. | | | | | | | | | |
| Adapter for electric power tools, C 35, el. | 81 | 5.453-048.0 | 1 piece(s) | ID 35 | | | | Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums. | <input type="checkbox"/> |
| Connecting sleeve for electric tool C 35, el. | 82 | 5.453-049.0 | 1 piece(s) | ID 35 | | | | Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums. | <input type="checkbox"/> |
| Adapter for electric power tools, C 35, el. | 83 | 5.453-050.0 | 1 piece(s) | ID 35 | | | | Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums. | <input type="checkbox"/> |
| Connecting sleeve for electric tool C 35, el. | 84 | 5.453-051.0 | 1 piece(s) | ID 35 | | | | Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums. | <input type="checkbox"/> |
| Connecting sleeve for electric tools C 35, el. | 85 | 5.453-052.0 | 1 piece(s) | ID 35 | | | | Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums. | <input type="checkbox"/> |
| Sleeve electrically conducting packaged | 86 | 2.889-151.0 | 1 piece(s) | ID 35 | | | | | <input type="checkbox"/> |
| Adapter for electric power tools, screwable | | | | | | | | | |
| Adapter for electric power tools, screwable, ID 35 | 87 | 2.639-129.0 | 1 piece(s) | ID 35 | | | | Plastic, adaptable from ID 26-36. | <input type="checkbox"/> |
| Power tool adapter, threaded, DN 35 | 88 | 5.453-016.0 | 1 piece(s) | ID 35 | | | | 3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose. | <input type="checkbox"/> |
| Adapter for electric power tools, screwable, ID 35 | 89 | 5.453-026.0 | 1 piece(s) | ID 35 | | | | Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm. | <input type="checkbox"/> |
| Power tool adapter, threaded, DN 35 | 90 | 6.902-059.0 | 1 piece(s) | ID 35 | | | | Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm. | <input type="checkbox"/> |
| | 91 | 6.902-095.0 | 1 piece(s) | ID 35 | | | | 2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Adapter (tube -> nozzle) | | | | | | | | | |
| Adapter ID 35 - 40 (tube -> nozzle) | 92 | 6.902-084.0 | 1 piece(s) | ID 35 | | | | From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Reducing sleeves | | | | | | | | | |
| Reducer | 93 | 5.407-108.0 | 1 piece(s) | ID 40 | | | | Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Reducer (tube -> nozzle) | | | | | | | | | |
| Reducer | 94 | 6.902-017.0 | 1 piece(s) | ID 40 | | | | Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone. | <input type="checkbox"/> |
| Reducer from ID 35 to 32 | 95 | 6.902-072.0 | 1 piece(s) | ID 35 | | | | Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners. | <input type="checkbox"/> |
| Set reducing / extension sleeves | | | | | | | | | |
| Set reducing / extension sleeves | 96 | 2.860-117.0 | 1 piece(s) | | | | | ID 40/35, ID 35/32 (tube -> nozzle), plastic. | <input type="checkbox"/> |
| Target group specific vacuum cleaner accessory sets | | | | | | | | | |
| Universal kit for industrial and commercial use | 97 | 2.637-595.0 | | ID 35 | | | | Accessory kit for industrial and commercial use. | <input type="checkbox"/> |
| Boiler cleaning kit | 98 | 2.638-852.0 | | ID 35 | | | | Accessory kit for vacuuming and cleaning boilers, oil stoves, etc. | <input type="checkbox"/> |
| Building trade kit | 99 | 2.637-352.0 | | ID 40 | | | | Building and ancillary trade accessory kit. | <input type="checkbox"/> |
| Professional cleaning kit ID 40 | 100 | 2.637-353.0 | | ID 40 | | | | Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0). | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0

KÄRCHER



| | | Order Number | Quantity | ID | Length | Width | Price | Description | |
|-----------------------------------|-----|--------------|------------|-------|--------|-------|-------|------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Horse grooming kit, ID 35 | 101 | 2.637-248.0 | | ID 40 | | | | Horse brush (6.903-046.0), curry comb/rubber curry comb (6.903-047.0 and 6.903-048.0), suction hose 4 m (4.440-391.0). | <input type="checkbox"/> |
| NT vacuum cleaner kit, DN 40, el. | 102 | 2.638-147.0 | | ID 40 | | | | Wet and dry vacuum cleaner kit, electrically conductive, DN 40. | <input type="checkbox"/> |
| UBS non-conductive media | | | | | | | | | |
| ABS non-conductive media | 103 | 2.641-560.0 | 1 piece(s) | | | | | For switching off when vacuuming non-conductive fluids such as oils and greases. | <input type="checkbox"/> |
| Other | | | | | | | | | |
| Drilling dust tool | 104 | 2.679-000.0 | 1 piece(s) | | | | | | <input type="checkbox"/> |
| CS 40 Me | 105 | 2.863-026.0 | 1 piece(s) | | | | | | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0



| | | Order Number | Quantity | ID | Length / width | Price | Description | |
|---------------------------|---|--------------|------------|-------|----------------|-------|----------------------------------------------------|--------------------------|
| Other nozzles | | | | | | | | |
| 45° rubber suction nozzle | 1 | 6.902-106.0 | 1 piece(s) | ID 61 | 220 mm | | Angled 45°, for suction of machines, oil-resistant | <input type="checkbox"/> |

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR NT 35/1 TACT

1.184-853.0



| | | Order Number | | | | | Price | Description | |
|---------------|---|--------------|--|--|--|--|-------|-------------|--------------------------|
| Suction tubes | | | | | | | | | |
| | 1 | 6.900-274.0 | | | | | | metal | <input type="checkbox"/> |

■ Included in delivery. ☐ Available accessories.