

# Non-rechargeable Alkaline Battery LR20 /D Size

pro-ELEC



## Specifications:

Battery Type	: Alkaline LR20 /D
Nominal Voltage	: 1.5V
Open Circuit Voltage	: 1.5V +0.15/-0
Nominal Capacity	: 15,000mAh
(Test condition : 3.9Ω Load, continuous discharge, and end voltage 0.9V)	
Average weight	: 135 ±4g
Shelf life	: 60 Months
Heavy metal content	: Mercury(Hg) content should be less than 1 PPM
	: Cadmium (Cd) content should be less than 5 PPM
	: Lead (Pb) content should be less than 15 PPM

## Performance


Battery service life should meet the values as stated in below Table

Discharges					
Test condition			Average duration 1) at 20°C		
Load	Daily period	End voltage	Initial	After 12 months storage 2)	After 36 months storage 2)
10Ω	4 h/d	0.9V	100 h	93h	85h
3.9Ω	Continuous	0.9V	32.5h	30h	27.5h
2.2Ω	Continuous	0.8V	17h	15.6h	14.5h
3.9Ω	1 h/d	0.9V	35.5h	32.6h	30.2h

1) Average service life will be calculated without the highest and the lowest of 9 samples

2) Storage Conditions : Temperature 20 ±2°C and the Relative Humidity shall be 65 ±20%

## Dimensions of Battery (LR20 /D Size)



Dimensions : Millimetres

## Note:

Batteries, in all their aspects, should be in accordance with IEC 60086-1 and IEC 60086-2

## Part Number Table

Description	Part Number
Non-rechargeable Alkaline Battery LR20 /D Size, Pack of 2	PSG91113
Non-rechargeable Alkaline Battery LR20 /D Size, Pack of 10	PSG91116

pro-ELEC