

PG Nylon Cable Gland

pro-POWER


RoHS
Compliant



Features

- High grade nylon cable glands
- Available in grey
- IP65 rating
- Low smoke
- Halogen free
- Lock nut included
- Sealing: Ding qing rubber
- CE compliant

Diagram



Dimension Table

Part Number	Size (mm)	GL (mm)	H (mm)
PG7DG	3-6.5	8	22
PG9DG	4-8	8	26
PG11DG	5-10	8	27
PG13DG	6 to 12	9	28
PG16DG	10 to 14	10	30
PG21DG	13 to 18	10	35
PG29DG	18 to 25	12	40

Part Number Table

Description	Pack Quantity	Part Number
PG7 Nylon Cable Gland Grey	10 pcs	PG7DG
PG9 Nylon Cable Gland Grey		PG9DG
PG11 Nylon Cable Gland Grey		PG11DG
PG13.5 Nylon Cable Gland Grey		PG13DG
PG16 Nylon Cable Gland Grey		PG16DG
PG21 Nylon Cable Gland Grey		PG21DG
PG29 Nylon Cable Gland Grey		PG29DG

pro-POWER

Metric Nylon Cable Gland

pro-POWER


RoHS
Compliant



Features

- High grade nylon cable glands
- Available in black
- IP65 rating
- Low smoke
- Halogen free
- Lock nut included
- Sealing: Ding qing rubber
- CE compliant

Diagram



Dimension Table

Part Number	Size (mm)	GL (mm)	H (mm)
M12DB	3 to 6.5	8	22
M16DB	4 to 8	8	26
M20DB	6 to 12	9	28
M25DB	13 to 18	10	35
M32DB	14 to 21	11	34


Part Number Table

Description	Pack Quantity	Part Number
M12 Nylon Cable Gland Black	10 pcs	M12DB
M16 Nylon Cable Gland Black		M16DB
M20 Nylon Cable Gland Black		M20DB
M25 Nylon Cable Gland Black		M25DB
M32 Nylon Cable Gland Black		M32DB

pro-POWER

Cable Glands

pro-POWER



Specification:

Material : UL approved nylon 66, 94 V-2 (black)

Specification Table

Description	Mounting Hole D1	Pitch (mm)	D2	B1	L1	L2	L3	Cable Range	Part Number
Gland, M40, 22 to 32 mm	40	1.5	33	30.6	17.7	23.4	31.6	22 to 32	AG40-5, GLAND M40 22-32MM(BLACK)
Gland, M50, 30 to 38 mm	50	1.5	41.2	38.2	17.3	25.7	31.6	30 to 38	AG50-5, M50 30-38MM(BLACK)
Gland, M63, 34 to 44 mm	61	1.5	54.1	44	18.5	27	32.6	34 to 44	AG63-5, M63 34-44MM(BLACK)

Dimensions : Millimetres

pro-POWER