


Mains Flex - 3 Core Cable

Coiled (0.2, 0.75 and 1.25mm²)

pro-POWER



Specifications:

3 core 0.75mm² spiral cable

Cores Quantity	: 3
Core Size	: 0.75mm ²
Construction	: 24/0.2 plain copper
Cores Insulation	: PVC
Cable	: BS 6500
Sheath Material	: PVC
Sheath Colour	: Black or white
Sheath Outer Diameter	: 6.8mm
Inside Diameter	: 9.5mm
Coil Outer Diameter	: 24mm
Closed Coil Length	: 500mm
Tails (Tangent)	: 150mm
Extended Length	: 2,500mm
Voltage	: 300V/500V
Current	: 6A

3 core 1mm² spiral cable

Cores Quantity	: 3
Core Size	: 1mm ²
Construction	: 32/0.2 plain copper


3 core 1mm² spiral cable:

Cores Insulation	: PVC
Cable	: BS 6500
Sheath Material	: PVC
Sheath Colour	: Black or White
Sheath Outer Diameter	: 7.2mm
Inside Diameter	: 9.5mm
Coil Outer Diameter	: 25mm
Closed Coil Length	: 500mm
Tails (Tangent)	: 150mm
Extended Length	: 2,500mm
Voltage	: 300V/500V
Current	: 10A

pro-POWER

Mains Flex - 3 Core Cable

Coiled (0.2, 0.75 and 1.25mm²)

pro-POWER

Specifications Table:

Item	A	B	C	D	Cable Marking	Basic Cable	Outer Dia. (mm)	Length (m)	
	Coils	Tails (mm)	Overall Dia. (mm)	Inside Dia. (mm)					
15/X/11 BLACK 1A	25 ±2 (approx. 12.19 to 143.1mm)	150 ±10mm	20.6 ±3	10 ±2	-	18/0.12mm BC × 3C (Blue, Brown, Yellow/Green) + PVC Insulated + PVC Sheath	5.3	1.5	
15/X/10 BLACK 6A					-				
10A MAINS BLK					-				
15/X/9 BLACK 13A	36 ±2 (approx. 281.18 to 314.26mm)		26.5 ±3		SAMSON BS6500 H05VV-F 3 × 1.25	110/0.12mm BC × 3C (Blue, Brown, Yellow/Green) + PVC Insulated + PVC Sheath	8.27	2.36	
15/X/11 WHITE 1A	25 ±2 (approx. 12.19 to 143.1mm)		20.6 ±3		-	18/0.12mm BC × 3C (Blue, Brown, Yellow/Green) + PVC Insulated + PVC Sheath	5.3	1.5	
15/X/10 WHITE 6A									-
10A MAINS WHT									-
15/X/9 WHITE 13A	36 ±2 (approx. 281.18 to 314.26mm)		26.5 ±3		SAMSON BS6500 H05VV-F 3 × 1.25	110/0.12mm BC × 3C (Blue, Brown, Yellow/Green) + PVC Insulated + PVC Sheath	8.27	2.36	
10A MAINS GREY									

pro-POWER

Mains Flex - 3 Core Cable

Coiled (0.2, 0.75 and 1.25mm²)

pro-POWER

Nominal Dimensions:

Core Colour	Size mm ²	Contact Number	Function
Blue	0.75	-	-
Brown		-	-
Green/Yellow		-	-
Blue	1	-	-
Brown		-	-
Green/Yellow		-	-

Part Number Table:

Description	Part Number
Cable, Mains, Coiled, 0.75mm	15/X/10 BLACK 6A
Cable, Mains, Coiled, 1mm	10A MAINS BLK
Cable, Mains, Coiled, 0.75mm	15/X/10 WHITE 6A
Cable, Mains, Coiled, 1mm	10A MAINS WHT
Cable, Mains, Coiled, 1mm	10A MAINS GREY
Cable, Mains, Coiled, 0.22mm	15/X/11 BLACK 1A
Cable, Mains, Coiled, 1.25mm	15/X/9 BLACK 13A
Cable, Mains, Coiled, 0.22mm	15/X/11 WHITE 1A
Cable, Mains, Coiled, 1.25mm	15/X/9 WHITE 13A

pro-POWER