

18V 6PC COMBO KIT LXT

DLX6067PT



MODELS IN KIT



Battery BL1850B 18v Li-ion 197282-4



LXT600 HEAVY DUTY TOOL BAG 831279-0



Twin port charger DC₁₈RD



18V COMBI DRILL LXT DHP458Z



JIGSAW 18V LXT DJV180Z



18V PLANER 82MM DKP180Z

MODELS IN KIT



Flashlight Li-ion 14.4/18V DML802



18V CIRCULAR SAW 165MM LXT DSS611Z



18v LXT Impact Driver DTD152Z



Battery BL1850B 18v Li-ion

197282-4

18v 5.0Ah Li-ion Battery

- LED battery indicator.
- Unbeatable 45 minute charge time.
- Same weight as 3.0Ah battery.
- Works with your current Li-ion Chargers.
- Longer run time and battery life.

For Compatibility please click here.

For notice on shipping of Li-ion batteries please click here



TECHNICAL SPECIFICATIONS

Voltage Battery Ah Battery Type Battery ID 18 v 5.0 Ah Li-ion BL1850B

USER BENEFITS

 Lightweight and shock-absorbing. The Li-ion range delivers 430% more working capacity during it's lifetime compared to Ni-Cad and is 40% Lighter than Ni-MH. The Li-ion has minimal depletion of power during use or in storage over it's lifetime.





LXT600 HEAVY DUTY TOOL BAG

831279-0

70 x 36 x 38cm



TECHNICAL SPECIFICATIONS

Model Pack Quantity LXT600

USER BENEFITS

- Heavy duty tool bag
- Hard wearing nylon weave material
- Multiple internal and external pockets for storage
- · Padding throughout with plastics skids on the base



Twin port charger DC18RD

The DC18RD Will charge 18v and 14.4v LXT slide battery's in the below times:

•3.0Ah - 22 minutes•4.0Ah - 36 minutes•5.0Ah - 45 minutes•6.0Ah - 55 minutes



TECHNICAL SPECIFICATIONS

Battery Range Battery Type

Pack Quantity

14.4 - 18 v Twinport fast charger with USB USER BENEFITS

- Available in 110v and 240v
- A USB port that provides 1.5A output for charging smart phones, tablets, etc.
- Full charge sound alert.
- LED charging display.
- x2 charging ports
- Forced cooling system
- Electronic current limiter for overload protection.



18V COMBI DRILL LXT DHP458Z

• Extremely compact tool size with an overall length of 225mm (8-7/8") • High power and productivity achieved with new DC motor (FD31-30) • Enhanced dust and dripproof performance to ensure reliable operation even under bad weather.

18V COMBI DRILL LXT



TECHNICAL SPECIFICATIONS

Voltage
Max. in wood
Max. in masonry
Max. in steel
Max Torque S/H
Torque Settings
Battery Type
Charging Time

Battery Quantity (3.0 Ah)

Vibration: Drilling Vibration K factor Body only machine

Net weight

Electric Brake

Variable Speed Control Blows per Minute

No Load Speed

18 v 65 mm 16 mm 13 mm 58 / 91 Nm 21 + drill

Lithium-ion

22 min

0

9.5 m/sec² 1.5 m/sec²

 \checkmark

2.2 - 2.6 kg

√

Trigger

0-30000/6000 bpm 0-2000/400 rpm

USER BENEFITS

- Enhanced dust and drip-proof performance for use in outdoor applications or harsh environments.
- Single sleeve keyless chuck allows for easy bit installation/removal by one hand.
- Twin LED Job light with pre-glow and afterglow functions
- Battery fuel gauge The power remaining in the battery can be indicated in 3 stages simply by pushing a button; 3 lights on: more than 50% of full battery capacity. 2 lights on: 20% to 50% of full battery capacity. 1 light on: less than 20% of full battery capacity





JIGSAW 18V LXT DJV180Z

Models DJV180 are cordless jig saws powered by Li-ion battery, featuring a compact and lightweight design.

JIGSAW 18V LXT



TECHNICAL SPECIFICATIONS

Battery Type Lithium-ion Battery Quantity (3.0 Ah) 0 Body only machine Voltage 18 v Max in steel 10 mm Max in wood 135 mm Strokes per Minute 0-2600 spm Stroke Length 26 mm Noise sound pressure 78 dB(A) Noise K factor 3 dB(A) 1.5 m/sec² Vibration K factor Vibration: Cutting Chipboard 8 m/sec² Vibration: Cutting Sheet Metal 3.5 m/sec² Net weight 2.7 - 3.0 kg

USER BENEFITS

- Tool-less blade change.
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- · High comfort grips.
- LED job light that creates and easy to trace cutting line
- Smooth and powerful cutting at the high stroke speed of 2,600spm.





18V PLANER 82MM DKP180Z

An 18V 82mm Cordless Planer developed with the same advantages of our mains planer Model KP0800.

Body only.

18V PLANER 82MM



TECHNICAL SPECIFICATIONS

Battery Type Li-ion Battery Quantity (3.0 Ah) \cap Body only machine Voltage 18 v No Load Speed 14000 rpm Vibration K factor 1.5 m/sec² Vibration plaining softwood 4.5 m/sec² Net weight 3.2 - 3.5 kg Planing Depth 2.0 mm 82 mm Planing Width Max Rebate Depth 9.0 mm

USER BENEFITS

- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.





Flashlight Li-ion 14.4/18V DML802



TECHNICAL SPECIFICATIONS

Voltage Battery Type Pack Quantity 14.4 or 18 v Li-ion

USER BENEFITS

- High-luminance single L.E.D. flashlight provides 160 lumens.
- 12 position pivoting flashlight head with positive stops from 60° - 110°
- Aluminum flashlight head design for increased durability
- Metal hang hook is convenient and job site durable.
- Multi-faceted reflector controls the direction and spread of the light.
- L.E.D. provides a sharp, round spotlight



18V CIRCULAR SAW 165MM LXT

DSS611Z

Model DSS611 has been developed as a cost-competitive sister tool of Model DSS610. Features the same lightweight design, portability and high performance as DSS610 although the following functions have been removed: LED Job light, Positive stop at 45 degrees, Blower function, Electric brake.

18V CIRCULAR SAW 165MM LXT



TECHNICAL SPECIFICATIONS

Battery Type Lithium-ion Battery Quantity (3.0 Ah) Λ Body only machine Voltage 18 v Depth of Cut @ 90° 57 mm Blade Diameter 165 mm Depth of Cut @ 45° 40 mm Depth of Cut @ 50° 36 mm **Bore Diameter** 20 mm Noise sound pressure 91 dB(A) Noise sound power 102 dB(A) Noise K factor 3 dB(A) No Load Speed 3700 rpm Vibration K factor 1.5 m/sec² Vibration: Cutting Chipboard 2.5 m/sec² Net weight 2.9 - 3.2 kg

USER BENEFITS

- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- Double safety trigger.
- · High comfort grips.
- Removable dust nozzle.



18v LXT Impact Driver DTD152Z

Model DTD152 is a cordless impact driver powered by 18V Li-ion battery and developed for main applications such as tightening of self-drilling screws or light duty machine screws.

18v LXT Impact Driver



TECHNICAL SPECIFICATIONS

Voltage Standard Bolt High Tensile Bolt Coarse thread (length) Max Fastening Torque No Load Speed

Battery Type
Vibration: Fastening Bolt
Vibration K factor
Noise sound pressure
Noise sound power
Noise K factor
Body only machine

Net weight

Battery quantity (4.0Ah)

Driving Shank
Machine Screw
Impacts per Minute

18 v M5-M16 M5-M12 22 - 125 mm 165 Nm 0 - 2900 rpm

Lithium-ion 10.5 m/sec² 1.5 m/sec²

93 dB(A) 104 dB(A) 3 dB(A)

√

1.3 - 1.6 kg

0

6.35mm (1/4") Hex

M4-M8 0 – 3,500 ipm

USER BENEFITS

- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current.
- · High rotation speed



RELATED COMBOKIT PRODUCTS

(Reco

STANDARD	ACCESSORIES
VIAIVAILE	AUGEOUGITEU

DBN600RTJ

18V Finishing Nailer 16G LXT

DGA700PT2

18Vx2 Angle Grinder 180mm BL LXT

DCS552RTJ

18V Metal Saw 136mm LXT

DGA900PT2

18Vx2 Angle Grinder 230mm BL LXT

DDF484RTJ

18V Drill Driver BL LXT

DDF484Z

18V Drill Driver BL LXT

DLM380PF4

18Vx2 LAWN MOWER 38CM LXT

DDF485RTJ

18V DRILL DRIVER BL LXT

DLM431PF4

Twin 18V Lawn Mower LXT

DFS250RTJ

18V Brushless Screwdriver LXT

DFS250Z

18V Brushless Screwdriver LXT

DLM460PT2

Twin 18V Lawn Mower 46cm BL LXT

DFS251RTJ

18V Brushless TEK Screwdriver LXT

DFS251Z

18V Brushless TEK Screwdriver LXT

DGA456Z

18V Brushless 115mm Angle Grinder

DGA463RTJ

18V Angle Grinder 115mm BL LXT

DGA467RTJ

18V Angle Grinder 115mm BL LXT

DGA506Z

18V Brushless 125mm Angle Grinder

DGA513RTJ

18V Angle Grinder 125mm BL LXT

4

DGA517RTJ

18V Angle Grinder 125mm BL LXT

DHP481RTJ

18V Brushless Combi Drill LXT

4

DHP482RTWJ

18v LXT Combi Drill

DHP484RTJ

18V Combi Drill BL LXT

DHP484Z

18V Combi Drill BL LXT

DHP485RTJ

18V COMBI DRILL BL LXT

DHS660RTJ

18V Circular Saw 165mm BL LXT

DJR187RTE

18V Brushless Reciprocating Saw

DJR187Z

18V Brushless Reciprocating Saw

1

DLM460PT2

Twin 18V Lawn Mower 46cm BL LXT

DPO600RTE

18V Brushless Random Orbit Polisher

DPT353RTJ

18V Pin Nailer LXT

1

DPT353Z

18V Pin Nailer LXT

DTD153RTJ

18V Impact Driver BL LXT

DTD153Z

18V Impact Driver BL LXT

DTD154RTJ

18V Impact Driver BL LXT

DTD154Z 18V Impact Driver BL LXT DTW1001RTJ 18v LXT Brushless Impact Wrench DTW1001Z 18v LXT Brushless Impact Wrench DTW1002RTJ 18v LXT Brushless Impact Wrench DTW1002Z 18v LXT Brushless Impact Wrench **OTHER - 197282-4 OTHER - 831279-0 OTHER - DC18RD** OTHER - DHP458Z

OTHER - DJV180Z

OTHER - DKP180Z

OTHER - DML802